



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



## Form 4 (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 11302339

Period : 2022-2023

<b>1. Particulars of the Occupier</b>	
(i) Name of the authorized person (Occupier or operator of facility):	VIKAS GHALLOT
(ii) Name of HCF or CBMWTF:	Biotic Waste Solutions Pvt. Ltd.
(iii) Address for Correspondence:	46, SSI Industrial Area
(iv) Address of Facility:	46, SSI Industrial Area, GT Karnal Road, Delhi-110033
(v) Tel. No.:	9818183921
(vi) Fax. No.:	-
(vii) E-mail ID:	vicky_ghalls@yahoo.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF or CBMWTF:	28°43'41.33
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: DPCC/(11)(5)(01)/2023/BMW/NST/AUTH 3873349g Valid Upto: 15/04/2027
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 15/04/2027
<b>2. Type of Health Care Facility</b>	
HCF/CBMWTF Type:	CBMWTF
(i) Number healthcare facilities covered by CBMWTF:	4583
(ii) No. of beds covered by CBMWTF:	26349
(iii) Installed treatment and disposal capacity of CBMWTF:	34000
(iv) Quantity of BMW treated or disposal by CBMWTF:	14815

<b>3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)</b>	Yellow Category: 2353646.2 Red Category: 2191024.5 White Category: 102568.5 Blue Category: 686453.6 General Solid Waste: 0.0																											
<b>4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details</b>																												
<b>(i) Details of the on-site storage facility:</b>	Size: 34 Metric Tonnes/Day Capacity: 34 Metric Tonnes/Day Provision of on-site storage: Separate storage space provided for different categories of bio medical waste																											
<b>(ii) Disposal Facility:</b>	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th><th>Number of Units</th><th>Capacity(Kg/day)</th><th>Quantity Treated or Disposed(Kg/annum)</th></tr> </thead> <tbody> <tr> <td>Autoclaves</td><td>1</td><td>9000</td><td>2293593.0</td></tr> <tr> <td>Sharps encapsulation or concrete pit</td><td>1</td><td>2000</td><td>102568.5</td></tr> <tr> <td>Chemical Disinfection</td><td>1</td><td>8000</td><td>686453.0</td></tr> <tr> <td>Incinerators</td><td>2</td><td>25000</td><td>2353646.2</td></tr> <tr> <td>Shredder</td><td>2</td><td>9000</td><td>2018360</td></tr> </tbody> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	Autoclaves	1	9000	2293593.0	Sharps encapsulation or concrete pit	1	2000	102568.5	Chemical Disinfection	1	8000	686453.0	Incinerators	2	25000	2353646.2	Shredder	2	9000	2018360			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)																									
Autoclaves	1	9000	2293593.0																									
Sharps encapsulation or concrete pit	1	2000	102568.5																									
Chemical Disinfection	1	8000	686453.0																									
Incinerators	2	25000	2353646.2																									
Shredder	2	9000	2018360																									
<b>(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:</b>	2608319.0																											
<b>(iv) No of vehicles used for collection and transportation of BMW:</b>	73																											
<b>(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum</b>	<table border="1"> <thead> <tr> <th>Type of waste</th><th>Quantity Generated</th><th>Where disposal</th></tr> </thead> <tbody> <tr> <td>Ash</td><td>108888</td><td>Landfill</td></tr> <tr> <td>ETP Sludge</td><td>1271</td><td>Self-Facility Incinerator</td></tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	Ash	108888	Landfill	ETP Sludge	1271	Self-Facility Incinerator																		
Type of waste	Quantity Generated	Where disposal																										
Ash	108888	Landfill																										
ETP Sludge	1271	Self-Facility Incinerator																										
<b>(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:</b>																												
<b>5. Do you have BMW management committee:</b>	no																											
<b>6. Training Conducted on BMW Details</b>																												
<b>(i) Number of training conducted on BMW Management:</b>	39																											
<b>(ii) Number of personnel trained:</b>	300																											
<b>(iii) Number of personnel trained at the time of induction:</b>	20																											
<b>(iv) Number of personnel not undergone any training so far:</b>	0																											
<b>(v) Whether standard manual for training is available:</b>	yes																											
<b>(vi) Any other information:</b>																												
<b>7. Details of the accident occurred</b>																												
<b>(i) No. of accident occurred:</b>	0																											
<b>(ii) Number of the persons affected:</b>	0																											
<b>(iii) Remedial Action taken:</b>	N.A.																											
<b>(iv) Any Fatality occurred, details:</b>	NO																											
<b>8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:</b>	Yes, Zero Times																											
<b>Details of Continuous online emission monitoring systems installed:</b>	Installed as per CPCB noms																											

<b>9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:</b>	<i>N.A.</i>
<b>10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:</b>	<i>N.A.</i>
<b>11. Any other relevant information:</b>	<i>Rotary is provided with dry air pollution control devices including ceramic bag filter house</i>
<b>12. Certified that the above report is for the period from:</b>	<i>01/01/2023 to 31/12/2023</i>

**Name and Signature of the Head of the Institution**

**Date :**27/06/2024

**Place :** NORTH

